

TRANSTECH ATF MULTI LV+



PRODUCT DESCRIPTION

A premium low viscosity automatic transmission fluid formulated with fully synthetic base oils and advanced additive technology. It delivers excellent thermal and oxidative stability under demanding operating conditions, ensuring smooth and consistent gear shifting while enhancing driveline efficiency and providing robust wear protection. Excellent low-temperature fluidity, combined with strong resistance to foaming and shear degradation, supports reliable performance in high-stress applications and extended drain intervals.

BENEFITS

- Enhanced additive technology supports broad vehicle and transmission coverage.
- Low viscosity formulation reduces frictional losses to help improve fuel economy.
- Optimised friction characteristics deliver smooth, effortless gear shifting.
- Superb low temperature performance ensures rapid fluid circulation at cold start.
- Stable friction performance maintained throughout long service intervals.

APPLICATIONS

Specifically developed to meet the performance requirements of modern multi-speed automatic transmissions, including advanced 8- and 9-speed systems. Not suitable for vehicles with DCT or CVT transmissions.

TYPICAL TEST DATA

Appearance	-	Clear&bright,undyed
Density @ 15°C	-	0.85
Flash Point (°C)	-	200
Kinematic Viscosity @ 40°C (mm²/s)	-	28
Kinematic Viscosity @ 100°C (mm²/s)	-	6
Pour Point (°C)	-	-44
Viscosity Index	-	160

TRANSTECH ATF MULTI LV+



RECOMMENDED BY MOTOSHIELD OILS AS SUITABLE FOR THE FOLLOWING APPLICATIONS

Aisin Warner	AW-1; AW-2; JWS 3309 (T-IV); JWS 3324 (WS);
Allison	C4
Audi/VW	Lifeguard Fluid 5, 6 & 8
Bentley	PY112995PA
BMW	ATF 7 (83 22 2 413 477) ATF 8 (83 22 5 A28 F03)
Ford	Mercon LV (WSS-M2C938-A) Mercon ULV* (WSS-M2C949-A)
GM	Dexron VI (no harm in use)
Honda	Type 3.0; Type 3.1; DW-1
Jaguar	02JDE26444
JASO	M315-2015 2A-02, 1A-LV
Land Rover	LR023288; LR023289
Maserati	231603
PSA	16 350 560 80
ZF	TE-ML 05L, 09, 11, 21L

TRANSTECH ATF MULTI LV+



SUITABLE TO USE IN THE FOLLOWING APPLICATIONS

ATF	RED 1K;
BYD	BYD DHT (Dedicated Hybrid Transmission)
Audi/VW	G 052 025 A2; G 052 055; G 052 162 A1/A2; G 052 540; G 052-990; G053 025 A2; G 055-005 A/A1/A2/A6; G 055-025 A2; G 055-162 A2; G 055-162 A6; G 055-540; G 055-540 A2; G US 000 162; G 060 162 A2, (ZF S671 090 312); TL 52540-A (G 052 990-A2)
BMW	5 Series (Texaco ETL-8072B); LA2634; LT71141; 7045E (3 Series); JWS 3309 (T-IV); 83 22 2 355 599; 83 22 2 305 397; 83 22 2 152 426; ATF 2 (83 22 2 305 396); ATF3+ (83 22 2 289 720); ATF 6 (83 22 2 355 601)
Chrysler/Dodge/Jeep	ATF+, +2 (MS 7176-E), +3, +4 (MS 9602); 05127382AA; 68043742AA; MOPAR AS 68 RC & AS 69 RC (T-IV); 68157995AA/68157995AB; 68218925AA/68218925AB; MOPAR SP-IV; 68171866AA/68171869AA
Fiat	9.55550-AV5; 9.55550-AV6; Type T-IV; JWS 3309
Ford	Escape Hybrid eCVT; WSS-M2C922-A1; WSS-M2C924-A; WSS-M2C919- D; XT-2-QSM; XT-6-QSP/DSP (Mercon SP)
Ford	WSS-M2C949-A (Mercon ULV, ATF B-ULV - SFU up to 100,000 miles)
GM	Dexron IIIH; Dexron HP; Dexron ULV (no harm in use)
GM/GMC/Opel/Saturn	AW-1; 1940700; 1940767; 21005966 (Transaxle); 88900925 (US); 9986195; 93160393; 88863400/88863401
Honda	ATF Ultra II; Z-1 (Except CVT); Ultra HEVF-Type 1.0
Hyundai/Kia	NWS-9638; JWS 3314; SP-II; SP-III; SPH-IV; SP-IV RR; SP-IV (00232-1904/04500-00115); SP-IV M (SP4-M); 040000C9SG; NUMM040 CH20 Red-1
Idemitsu	K17; Jatco 3100 PL085; ATF Red 1K
Isuzu	Besco ATF-II, III, SP; SCS Fluid
Land Rover	LR0022460; TYK500050
Mazda	ATF D-II, M-III, M-V, 3317, A7, FZ, F-1, S-1, N-1
Mini Cooper	83 22 0 402 413; JWS 3309; T-IV
Mitsubishi	Diaqueen ATF AW, J2, J3, MA1, SK, SP-II, SP-III, SP-IV, PA
Nissan	Matic C, D, J, K, P, S, W
Porsche	000 043 205 28; 00 043 205 09; 999 917 547 00 (A2)
SAAB	93 160 393 (AW-1); T-IV (JWS 3309); 93 165 147; 93 160 548
Shell	L12108, M-12108, M-1375.4
Ssangyong	DSIH 5M-66
Subaru	SOA427V130 (JWS 3324); K0410Y0700; SOA868V9241
Suzuki	ATF AW-1, 3309, 3314, 3317, 2326, 2384
Toyota	D-II; D-III; T-III; T-IV; WS (JWS 3324); THSII; THS 5th Gen.
Volvo	1161540/1161640 (5/6 Speed); 31256774/31256675 (6 speed MY 2011-2013); 31492172/31492173; T-IV (JWS 3309)
ZF	Lifeguard Fluid 5 (S671 090 170); Lifeguard Fluid 6 (S671 090 255, S671 090 281); Lifeguard Fluid 8 (S671 090 310, S671 090 311, S671 090 312); Lifeguard Fluid 9 (AA01.500.001)

Suitable for Tesla, including SK ATF 212-B